

# Layout




## Hardware combinations

The WCU-4 can be combined with hardware shown below.



## Dimensions and weight



Weight (without straps and battery): 730g / 25.8oz.

## Motor controllers

### UMC-4

#### Universal Motor Controller

- Wireless and wired control.
- Camera control of connected camera - ALEXA Remote license is required.
- Control up to 3 motors (active/passive mixed). For active motors the cable K2.0007318 is needed, also an additional power supply cable for LBUS is recommended.
- UDM-1 distance data
- LDA (Lens data archive) and lens programming.
- Fujinon and Canon demands - see UMC-4 manual for further details.

### SMC-1

#### Single Motor Controller

- Wireless and wired control.
- Control one passive motor.

### AMC-1

#### Active Motor Controller

- Wireless and wired control.
- Control up to 3 active motors.

### EMC-1

#### ENG Motor Controller

- Wireless and wired control.
- Control ENG-Type lenses
- Lens data is transmitted to the WCU-4

**cforce mini RF**  
active lens motor

- Wireless and wired control
- Camera control of connected camera
- ALEXA Remote license is required
- Control up to 3 cforce motors
- UDM-1 distance data via CUB-1
- LDA (Lens data archive) and lens programming

**External zoom controllers**

- Master Grip
- Operator Control Unit OCU-1
- Zoom Main Unit ZMU-3A
- cmotion pan-bar zoom